



CHEMSBURY



WWW.CHEMSBURY.COM

Coupling, Groove pipe and Blind cap

S30 SS Flexible Coupling Clamp



Nominal size		Pipe O.D.		Working Pressure	
DN	in	mm	in	psi	bar
DN20	0.75"	26.9	1.050	600	42
DN25	1"	33.7	1.315	600	42
DN32	1.25"	42.4	1.660	600	42
DN40	1.5"	48.3	1.900	600	42
DN50	2"	60.3	2.375	600	42
DN65	2.5"	73.0	2.875	600	42
DN80	3"	76.1	3.000	600	42
DN80	3"	88.9	3.500	600	42
DN150	6"	168.3	6.625	600	42
DN200	8"	219.1	8.625	600	42

Note: SS304, SS316L, SS2205, SS2507, four materials available.

S80 SS Flexible Coupling Clamp



Nominal size		Pipe O.D.		Working Pressure	
DN	in	mm	in	psi	bar
DN20	0.75"	26.9	1.050	1200	83
DN25	1"	33.7	1.315	1200	83
DN32	1.25"	42.4	1.660	1200	83
DN40	1.5"	48.3	1.900	1200	83
DN50	2"	60.3	2.375	1200	83
DN65	2.5"	73	2.875	1200	83
DN80	3"	76.1	3.000	1200	83
DN80	3"	88.9	3.500	1200	83
DN100	4"	114.3	4.500	1200	83

Note: SS304, SS316L, SS2205, SS2507, four materials available.

S160 SS Flexible Coupling Clamp



Nominal size		Pipe O.D.		Working Pressure	
DN	in	mm	in	psi	bar
DN20	0.75"	26.9	1.050	2322	160
DN25	1"	33.7	1.315	2322	160
DN32	1.25"	42.4	1.660	2322	160
DN40	1.5"	48.3	1.900	2322	160
DN50	2"	60.3	2.375	2322	160
DN65	2.5"	73.0	2.875	2322	160

Nominal size		Pipe O.D.		Working Pressure	
DN	in	mm	in	psi	bar
DN80	3"	76.1	3.000	2322	160
DN80	3"	88.9	3.500	2322	160
DN100	4"	114.3	4.500	2322	160
DN125	5"	139.7	5.500	2322	160
DN150	6"	168.3	6.625	2322	160
DN200	8"	219.1	8.625	2322	160

Note: SS304, SS316L, SS2205, SS2507, four materials available.

Coupling, Groove pipe and Blind cap

G30 SS Rigid Coupling Clamp



Nominal size		Pipe O.D.		Working Pressure	
DN	in	mm	in	psi	bar
DN100	4"	114.3	4.500	600	42
DN125	5"	139.7	5.500	600	42
DN150	6"	168.3	6.625	600	42
DN200	8"	219.1	8.625	600	42
DN250	10"	273.0	10.750	600	42

Note: SS304, SS316L, SS2205, SS2507, four materials available.



C Ductile Iron Flexible Coupling Clamp



Nominal size		Pipe O.D.		Working Pressure	
DN	in	mm	in	psi	bar
DN25	1"	33.7	1.315	600	42
DN32	1.25"	42.4	1.660	600	42
DN40	1.5"	48.3	1.900	600	42
DN50	2"	60.3	2.375	600	42
DN65	2.5"	73.0	2.875	600	42
DN80	3"	76.1	3.000	600	42
DN80	3"	88.9	3.500	600	42
DN100	4"	114.3	4.500	500	35
DN125	5"	140.0	5.511	450	31
DN150	6"	168.3	6.625	450	31
DN200	8"	219.1	8.625	450	31
DN250	10"	273.0	10.750	350	25
DN300	12"	323.9	12.750	350	25



CHEMSBURY WATERTREATMENT EQUIPMENT TRADING LLC.

Address : PO BOX 235820, DUBAI - UNITED ARAB EMIRATES.
Website : www.chemsbury.com
E-mail : sales@chemsbury.com
Telephone : 00971 4 2636922 / 00971 50 5500326.

